

SAFETY DATA SHEET NO.77 HYPER FRESH - GOLDEN SUNSET

SECTION 1: Identification of	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	NO.77 HYPER FRESH - GOLDEN SUNSET		
Product number	77GS012B		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	Fragrance preparation for motor vehicle interiors		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Autoglym Works Road Letchworth Herts SG6 1LU UK sds@autoglym.com		
1.4. Emergency telephone nu	Imber		
Emergency telephone	+44 (0) 1462 489498 (24Hrs)		
SECTION 2: Hazards identified	cation		
2.1. Classification of the subs	stance or mixture		
2.1. Classification of the subs Classification (EC 1272/2008			
Classification (EC 1272/2008)		
Classification (EC 1272/2008 Physical hazards	<u>)</u> Aerosol 1 - H222, H229		
Classification (EC 1272/2008 Physical hazards Health hazards) Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 STOT SE 3 - H336		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards) Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 STOT SE 3 - H336 Not Classified		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards Human health	Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 STOT SE 3 - H336 Not Classified Vapours and spray/mists in high concentrations are narcotic.		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards Human health Environmental	Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 STOT SE 3 - H336 Not Classified Vapours and spray/mists in high concentrations are narcotic. The product is not expected to be hazardous to the environment. Containers can burst violently or explode when heated, due to excessive pressure build-up.		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards Human health Environmental Physicochemical	Aerosol 1 - H222, H229 Eye Irrit. 2 - H319 STOT SE 3 - H336 Not Classified Vapours and spray/mists in high concentrations are narcotic. The product is not expected to be hazardous to the environment. Containers can burst violently or explode when heated, due to excessive pressure build-up.		

Signal word

Danger

Hazard statements	 H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH208 Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.
Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing vapour/ spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/ doctor if you feel unwell. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Contains	Propan-2-ol, Butanone
Supplementary precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P337+P313 If eye irritation persists: Get medical advice/ attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Petroleum Gases, Liquified		30-60%
CAS number: 68476-85-7	EC number: 270-704-2	REACH registration number: 01- 2119485911-31-XXXX
Classification		
Flam. Gas 1 - H220		
Ethanol		30-60%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-
		2119457610-43-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11	

Dutanana		4.5%
Butanone CAS number: 78-93-3	EC number: 201-159-0	1-5%
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11 Xi;R	36 R66 R67
Eye Irrit. 2 - H319 STOT SE 3 - H336		
STOT SE 3 - H330		
Propan-2-ol		1-5%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-XXXX
Classification	Classificati	on (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;R	36 R67
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
1-(1,2,3,4,5,6,7,8-octahydro naphthyl)ethan-1-one	-2,3,8,8-tetramethyl-2-	<1%
CAS number: 54464-57-2	EC number: 259-174-3	
Skin Sens. 1 - H317 Aquatic Chronic 2 - H411		
	es and Hazard Statements are Displayed in Se	action 16
	· ·	
SECTION 4: First aid measur		
4.1. Description of first aid me		
General information	Move affected person to fresh air and keep breathing. Get medical attention if any disc	o warm and at rest in a position comfortable for comfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If in doubt, get medical attention promptly.	
Ingestion	Rinse mouth thoroughly with water. Remove person to fresh air and keep comfortable for breathing. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.	
Eye contact		ids wide apart. Rinse immediately with plenty of utes. Get medical attention promptly if symptoms
Protection of first aiders	First aid personnel should wear appropriate	e protective equipment during any rescue.
4.2. Most important symptom	s and effects, both acute and delayed	
General information	See Section 11 for additional information o	n health hazards.
4.3. Indication of any immedia	ate medical attention and special treatment ne	eeded
Notes for the doctor	Treat symptomatically.	

5.1. Extinguishing media

Suitable extinguishing media Use foam, carbon dioxide or dry powder to extinguish.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
5.3. Advice for firefighters	
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe h	andling	
Usage precautions	Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.	
Advice on general occupational hygiene	Wash promptly with soap and water if skin becomes contaminated.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame.	

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Petroleum Gases, Liquified

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³ Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Butanone

Long-term exposure limit (8-hour TWA): WEL 200 ppm 600 mg/m³ Short-term exposure limit (15-minute): WEL 300 ppm 899 mg/m³ Sk

Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³ WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.
Respiratory protection	No specific recommendations. If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties		
Appearance	Aerosol.	
Colour	Colourless.	

Colour	Colourless.
Odour	Characteristic.
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	-41 (-41 to 286)°C
Flash point	-40°C Closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 0.9 % Upper flammable/explosive limit: 15.0 %
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.644
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	347°C

Decomposition Temperature	No information available.
Viscosity	No information available.
Oxidising properties	No information available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	ictivity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	The product may not be stable under some conditions of storage or use.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	None at ambient temperatures.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Inhalation	Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye irritation.
Acute and chronic health hazards	No known chronic or acute health risks.
Route of exposure	Inhalation Skin and/or eye contact
SECTION 12: Ecological Inform	mation
12.1 Tovicity	

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Partition coefficient	No information available.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	<u>s</u>
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950
14.2. UN proper shipping name	e
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	2.1

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

ADR/RID packing group	None
IMDG packing group	None
ADN packing group	None
ICAO packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	23/04/2015
Revision	2
SDS number	21727
Hazard statements in full	 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction.
Signature	Daniel Higgs