

SAFETY DATA SHEET ULTIMATE SCREENWASH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ULTIMATE SCREENWASH

Product number SWAS500, SWAS500JAP, SWAS500NL/F, SWAS500SCAN, SWAS500AU

Internal identification SSW/RO/240217

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaner for use on motor vehicle windscreens, mirrors and windows.

1.3. Details of the supplier of the safety data sheet

Supplier Autoglym

Works Road Letchworth Herts SG6 1LU UK

sds@autoglym.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1462 489498 (24Hrs)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

ULTIMATE SCREENWASH

Supplementary precautionary P501 Dispose of contents/ container in accordance with national regulations. **statements**

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ethanol 30-60%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11

3-Butoxypropan-2-ol 5-10%

CAS number: 5131-66-8 EC number: 225-878-4 REACH registration number: 01-

2119475527-28-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R36/38

Eye Irrit. 2 - H319

Methanol 1-5%

CAS number: 67-56-1 EC number: 200-659-6 REACH registration number: 01-

2119392409-28-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11 T;R23/24/25,R39/23/24/25

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370

Glycerine 1-5%

CAS number: 56-81-5 REACH registration number: 01-

2119471987-18-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Not Classified -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser.

ULTIMATE SCREENWASH

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product contains organic solvents. May cause damage to mucous membranes in nose,

throat, lungs and bronchial system.

Ingestion May cause discomfort. Nausea, vomiting. Diarrhoea.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May irritate eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Flammable liquid and vapour. Vapours are heavier than air and may spread near ground and

travel a considerable distance to a source of ignition and flash back.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Toxic

gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during

firefighting

Do not use water jet as an extinguisher, as this will spread the fire. Keep upwind to avoid

inhalation of gases, vapours, fumes and smoke.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. No smoking, sparks, flames or other sources of

ignition near spillage. Avoid inhalation of vapours.

6.2. Environmental precautions

Environmental precautions Do not allow to enter drainage system, surface or ground water.

Prevent material from reaching sewage system, holes and cellars.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb small quantities with paper towels and evaporate in a safe place. Absorb spillage with

non-combustible, absorbent material. No smoking, sparks, flames or other sources of ignition

near spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

ULTIMATE SCREENWASH

Usage precautions For personal protection, see Section 8.

Advice on general Do not eat, drink or smoke when using this product. Provide eyewash station. Wash hands

occupational hygiene thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature. Store in accordance with local regulations.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³ Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Sk

Glycerine

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Avoid inhalation of vapours.

Eye/face protection Wear eye protection.

Hand protection Wear protective gloves. The breakthrough time for any glove material may be different for

different glove manufacturers.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Pink.

Odour Alcoholic.

pH pH (concentrated solution): 8

Initial boiling point and range No information available.

Flash point ~ 22.8°C Setaflash closed cup.

Evaporation rate

No information available.

Evaporation factor

No information available.

ULTIMATE SCREENWASH

Upper/lower flammability or

explosive limits

No information available.

Other flammability

No information available.

Vapour pressure

No information available.

Vapour density

No information available.

Relative density ~ 0.88

Solubility(ies) Miscible with water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

Viscosity Not available.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

None at ambient temperatures.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 3,389.83

Acute toxicity - dermal

ATE dermal (mg/kg) 10,169.49

Acute toxicity - inhalation

ATE inhalation (gases ppm) 23,728.81
ATE inhalation (vapours mg/l) 101.69
ATE inhalation (dusts/mists 16.95

mg/l)

SECTION 12: Ecological Information

ULTIMATE SCREENWASH

12.1. Toxicity

Toxicity Not determined.

12.2. Persistence and degradability

Phototransformation Not determined.

Stability (hydrolysis) Not determined.

Biodegradation Expected to be readily biodegradable.

Biological oxygen demand Not determined.

12.3. Bioaccumulative potential

Partition coefficient No information available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste, residues, empty containers, discarded work clothes and contaminated cleaning

materials should be collected in designated containers, labelled with their contents.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993 UN No. (IMDG) 1993 UN No. (ICAO) 1993 UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Methanol)

(ADR/RID)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Methanol)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Methanol)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Methanol)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

ULTIMATE SCREENWASH

Transport labels



14.4. Packing group

ICAO packing group

ADR/RID packing group II

IMDG packing group II

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Ш

No.

14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 2

Emergency Action Code •3YE

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

33

Transport in bulk according to Not applicable. **Annex II of MARPOL 73/78**

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 13/02/2018

Revision 11

SDS number 20924

ULTIMATE SCREENWASH

Hazard statements in full H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs .

Signature Daniel Higgs

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.